

2PRE//
Launch The Lighting **Bible®** **8**

DELTA LIGHT®



Minigrid in Semi // Ceiling Surface

// Interior

brand
new
product

DELTA LIGHT




MINIGRID IN SEMI 2 QR W + MINIGRID COVERPLATE

new

Minigrid Coverplate

MINIGRID COVERPLATE ◇
202 77 00 00 ◇
◇ = B / W
CE [0.2]




DELTA LIGHT

PRE//Launch The Lighting Bible 8


new

Minigrid In Semi 1


113 x 113 x 100 max.22
MINIGRID IN SEMI 1 50 ◇
202 76 55 01 ◇
◇ = B / W
ADJUSTABLE 0°- 30°
GU5.3 / 12V / EXCL.TRANSFO
1 x QR-C51 20-35-50W
1 x QR-CBC51 20-35W
CE [0.9] IP20 850°C [0.5]
OPTIONS
MINIGRID IN MOUNTING KIT 1 - **202 71 95 01**
ACCESSORIES
CONE 50
CLIP 50 + DICROIC FILTER 50



113 x 113 x 100 max.22
MINIGRID IN SEMI 1 QR ◇
202 76 00 01 ◇
◇ = B / W
ADJUSTABLE 0°- 30°
BA15d / 12V / EXCL.TRANSFO
1 x QR-LP70 20-50W
CE [0.9] IP20 850°C [1.0]
OPTIONS
MINIGRID IN MOUNTING KIT 1 - **202 71 95 01**




113 x 113 x 100 max.22
MINIGRID IN SEMI 1 C50 ◇
202 76 44 01 ◇
◇ = B / W
ADJUSTABLE 0°- 30°
GX10 / 230-240V / 50-60Hz / EXCL.EVG
1 x HIPAR51 20-35W
CE [0.9] IP20 850°C [0.5]
OPTIONS
MINIGRID IN MOUNTING KIT 1 - **202 71 95 01**
BALLASTSET C50




new

Minigrid In Semi 2


216 x 113 x 100 max.22
MINIGRID IN SEMI 2 50 ◇
202 76 55 02 ◇
◇ = B / W
ADJUSTABLE 0°- 30°
GU5.3 / 12V / EXCL.TRANSFO
2 x QR-C51 20-35-50W
2 x QR-CBC51 20-35W
CE [1.3] IP20 850°C [0.5]
OPTIONS
MINIGRID IN MOUNTING KIT 2 - **202 71 95 02**
MINIGRID COVERPLATE
ACCESSORIES
CONE 50
CLIP 50 + DICROIC FILTER 50



216 x 113 x 100 max.22
MINIGRID IN SEMI 2 QR ◇
202 76 00 02 ◇
◇ = B / W
ADJUSTABLE 0°- 30°
BA15d / 12V / EXCL.TRANSFO
2 x QR-LP70 20-50W
CE [1.3] IP20 850°C [1.0]
OPTIONS
MINIGRID IN MOUNTING KIT 2 - **202 71 95 02**
MINIGRID COVERPLATE



216 x 113 x 100 max.22
MINIGRID IN SEMI 2 C50 ◇
202 76 44 02 ◇
◇ = B / W
ADJUSTABLE 0°- 30°
GX10 / 230-240V / 50-60Hz / EXCL.EVG
2 x HIPAR51 20-35W
CE [1.3] IP20 850°C [0.5]
OPTIONS
MINIGRID IN MOUNTING KIT 2 - **202 71 95 02**
BALLASTSET C50
MINIGRID COVERPLATE





O₂Oxygen RGB RC // Ceiling Suspended

// Interior

brand
new
product

DELTA LIGHT


DELTA LIGHT

PRE//Launch The Lighting Bible 8


new   

O₂ OXYGEN 44 RGB RC 
307 44 14 RC 
 Ø = A
 INCL. 2 x CABLE SUSP. SINGLE AUTO. 3m
 INCL. 1 x CABLE 3 x 0.75mm²
 INCL. 5 x LEDSTRIP RGB
 INCL. LED POWER SUPPLY 24V
 INCL. RGB RECEIVER
 GX24q-3 / 230-240V / 50-60Hz / 1 x 1-EVG
 1 x TC-TEL 32W

  IP20 650°C 
 OPTIONS 
 RGB REMOTE CONTROL - **300 90 310**
 CABLE BASE R / S
 COVERSET R 62-90-100 / S 62-80-90




O₂Oxygen 44 RGB RC 




new   

O₂ OXYGEN 64 RGB RC 
307 64 16 RC 
 Ø = A
 INCL. 2 x CABLE SUSP. SINGLE AUTO. 3m
 INCL. 1 x CABLE 3 x 0.75mm²
 INCL. 7 x LEDSTRIP RGB
 INCL. LED POWER SUPPLY 24V
 INCL. RGB RECEIVER
 GX24q-3 / 230-240V / 50-60Hz / 1 x 1-EVG
 1 x TC-TEL 32W

  IP20 650°C 
 OPTIONS 
 RGB REMOTE CONTROL - **300 90 310**
 CABLE BASE R / S
 COVERSET R 62-90-100 / S 62-80-90



O₂Oxygen 64 RGB RC 




DESIGN BY DELTA LIGHT® & FRANS VAN PRAET

new

RGB Remote Control

RGB REMOTE CONTROL
300 90 310
 MAX. 6 x O₂Oxygen xx RGB RC

  IP20



Visa // Wall Surface

// Interior



brand
new
product


DELTA LIGHT

new


VISA ◇
◇ = W

G9 / 230-240V / 50-60Hz
2 x QT14 25-40-60W

◇ CE 1.3 IP20 850°C 0,1




Visa



Visa // Wall Surface

// Interior



brand
new
product

DELTA LIGHT

Walker // Floor Surface

// Exterior

DELTA LIGHT

PRE// Launch The Lighting Bible 8


new   

Walker 53 LED 

WALKER 53 LED 
220 53 12 
 ◇ = A / G
 INCL 2 x POWERLED WHITE 1W / 5400K
 INCL 2 x LENS 15°
 INCL LED POWER SUPPLY 350mA-DC
 CURRENT CONTROLLED
 230-240V / 50-60Hz

  IP65

OPTIONS  
 PIN 12
 PLATE 7
 CBOX



POWERLED / 5400K


new   

Walker TC

300 mm **WALKER 63 TC** 
220 63 18 
 ◇ = A / G
 G24q-2 / 230-240V / 50-60Hz / 1 x 1-EVG
 1 x TC-DEL 18W

  IP65  0,1

OPTIONS  
 PIN 13
 PLATE 8
 CBOX




new   

Walker L TC

WALKER 67L TC 
220 68 18 
 ◇ = A / G
 G24q-2 / 230-240V / 50-60Hz / 1 x 1-EVG
 1 x TC-DEL 18W

  IP65  4,3  0,1

OPTIONS  
 PIN 13
 PLATE 8
 CBOX



brand
new
product


DELTA LIGHT

Walker // Floor Surface

// Exterior

brand
new
product

DELTA LIGHT





Monopol LED // Floor Surface

// Exterior

brand
new
product

DELTA LIGHT

DELTA LIGHT

PRE//Launch The Lighting Bible 8

new eco

MONOPOL 26 LED $\diamond$
223 16 12 $\diamond$
 $\diamond = A$
 INCL.2 x POWERLED WHITE 1W / 5400K
 INCL.LED POWER SUPPLY 350mA-DC
 CURRENT CONTROLLED
 230-240V / 50-60Hz
 $\diamond$ CE 1.2 IP65
 OPTIONS 
 PLATE 1
 PIN 1
 CBOX

MONOPOL 26 LED WW $\diamond$
223 16 22 $\diamond$
 $\diamond = A$
 INCL.2 x POWERLED WHITE 1W / 3300K



new eco

MONOPOL 70 LED $\diamond$
223 17 13 $\diamond$
 $\diamond = A$
 INCL.3 x POWERLED WHITE 1W / 5400K
 INCL.LED POWER SUPPLY 350mA-DC
 CURRENT CONTROLLED
 230-240V / 50-60Hz
 $\diamond$ CE 2.8 IP65
 OPTIONS 
 PLATE 1
 PIN 1
 CBOX

MONOPOL 70 LED WW $\diamond$
223 17 23 $\diamond$
 $\diamond = A$
 INCL.3 x POWERLED WHITE 1W / 3300K






Plate 1



Pin 1




Monopol LED // Floor Surface

// Exterior

brand
new
product

DELTA LIGHT





Duopol LED // Floor Surface

// Exterior

brand
new
product

DELTA LIGHT

DELTA LIGHT

PRE// The Lighting Bible 8


new eco

DUOPOL 70 LED 
223 27 16 
 ◇ = A
 INCL 6 x POWERLED WHITE 1W / 5400K
 INCL LED POWER SUPPLY 350mA-DC
 CURRENT CONTROLLED
 230-240V / 50-60Hz

  IP55

OPTIONS 
 PLATE 6
 PIN 11
 CBOX

DUOPOL 70 LED WW 
223 27 26 
 ◇ = A
 INCL 6 x POWERLED WHITE 1W / 3300K



Duopol 70 LED 



POWERLED / 5400K



2PRE//
Launch The Lighting **Bible®** **8**

DELTA LIGHT®