

☒ DELTALIGHT®

3PRE// The Lighting **Bible®** **8**

... coming April 2009



B-Flex // Wall Surface

// Interior

brand
new
product

DELTA LIGHT

DELTA LIGHT

PRE// The Lighting Bible 8
Launch


new eco

B-FLEX V1 ◊
303 43 11 ◊
◊ = ALU
INCL.1 x POWERLED WHITE 1-3W / 6500K
INCL.1 x LENS 25°
EXCL.LED POWER SUPPLY 350-700mA-DC
CURRENT CONTROLLED

IP20 650°C

OPTIONS
LED POWER SUPPLY 350mA-DC (1W)
LED POWER SUPPLY 500mA-DC (2W)
LED POWER SUPPLY 700mA-DC (3W)

B-FLEX V1 WW ◊
303 43 12 ◊
◊ = ALU
INCL.1 x POWERLED WHITE 1-3W / 3000K



B-Flex V1



POWERLED / 6500K





Vision // Wall Surface

// Interior

brand
new
product

DELTA LIGHT

n
store


DELTA LIGHT

PRE//
Launch The Lighting Bible 8


new

VISION ◊
278 25 40 ◊
◊ = W / W-C
INCL. 2 x LENS
G9 / 230-240V / 50-60Hz
1 x QT14 25-40-60-75W
CE 0.9 IP20 850°C (0.5)

ACCESSORIES
DICROIC FILTER 100 BLUE (max. 40W)



Vision



n
store

Vision // Wall Surface

// Interior



brand
new
product

DELTA LIGHT



Logo // Floor Surface

// Exterior

brand
new
product

DELTA LIGHT

DELTA LIGHT


PRE//
Launch The Lighting Bible 8

new

LOGO LED \diamond
231 60 14 \diamond
 $\diamond = A$
 INCL. 4 x POWERLED WHITE 1W / 5400K
 INCL. 4 x LENS 15°
 INCL. LED POWER SUPPLY 350mA-DC
 CURRENT CONTROLLED
 230-240V / 50-60Hz

IP65 650°C (0,1)

OPTIONS
 PIN 11



Logo LED




new

LOGO \diamond
231 60 40 \diamond
 $\diamond = A / G$
 G9 / 230-240V / 50-60Hz
 1 x QT14 25-40W

IP65 850°C (0,1)

OPTIONS
 PIN 11




Logo



new

PIN 11
229 01 11

0,4



Pin 11



Logo // Floor Surface

// Exterior



brand
new
product

DELTA LIGHT



Walker HP // Floor Surface

// Exterior

**brand
product**

DELTA LIGHT

DELTA LIGHT

PRE// The Lighting Bible 8
Launch

Walker HP

new	<p>300 mm WALKER 53 HP ◊ 1.4</p> <p>220 53 40 ◊</p> <p>500 mm WALKER 55 HP ◊ 2.9</p> <p>220 55 40 ◊</p> <p>◊ = A / G</p> <p>G9 / 230-240V / 50-60Hz</p> <p>1 x QT14 25-40W</p> <p>◊ CE IP65 (0.1)</p> <p>OPTIONS</p> <p>PIN 12</p> <p>PLATE 7</p> <p>CBOX - 216 12 00</p>		
-----	---	--	--

Pin 12

new	<p>PIN 12</p> <p>229 01 12</p> <p>0.4</p>	
-----	--	--

Plate 7

new	<p>PLATE 7</p> <p>229 02 07</p> <p>0.7</p>	
-----	---	--





Villa // Floor Surface

// Exterior

brand
new
product

DELTA LIGHT

DELTA LIGHT

PRE//Launch The Lighting Bible 8


new

VILLA LED ◊
225 60 16 ◊
◊ = A
INCL.6 x POWERLED WHITE 1W / 5400K
INCL.2 x LENS 15°
INCL.ED POWER SUPPLY 350mA-DC
CURRENT CONTROLLED
230-240V / 50-60Hz

◊ CE IP65 650°C

OPTIONS

VILLA LED WW ◊
225 60 ?? ◊
◊ = A
INCL.6 x POWERLED WHITE 1W / 5400K



Villa LED




new

VILLA HP ◊
225 60 40 ◊
◊ = A / G
G9 / 230-240V / 50-60Hz
1 x QT14 25-40W

◊ CE IP65 850°C

OPTIONS




Villa HP



new

PIN 10
229 01 10



Pin 10



☒ DELTALIGHT®

3PRE // The Lighting **Bible**® **8**
Launch

... coming April 2009